

Hyperbaric oxygen therapy

- given as adjuncts for chronic suppurative and chronic sclerosing osteomyelitis.

The mechanism of action:-

- increases the local availability of oxygen and thereby induces angiogenesis.
- They also aid in functioning of the leukocytes. Leukocyte's ability to kill phagocytosed organism is ineffective in hypoxic condition, so by raising the oxygen tension at local tissue it improves the killing ability of the leukocytes.
- The hyperbaric oxygen also are lethal to anaerobic organisms





DEFINITION

- It is defined as
- Inflammation of the tissue around the tooth causing the loosening of the gums and loosening of the tooth
- It is in contrast to the common belief that normal flossing or brushing does not contribute to halitosis

 GPS Map Camera


East Godavari, AP, India

Rajanagaram, East Godavari, 533294, AP, India

Lat 17.068356, Long 81.885030

05/15/2024 11:21 AM GMT+05:30

Note : Captured by GPS Map Camera




CONCLUDING THOUGHTS

- Conscious sedation is a technique meant for relief of dental phobia and should not be considered an alternative to effective local anesthesia or good behavioral management.
- The route of administration and the drug should be selected on an individual patient basis. Importance of adequately trained staff in an area adequately equipped with monitoring tools along with importance of detailed pre sedation assessment cannot be overemphasized.
- When producing sedation in a dental setting, awareness of limitations is necessary.





GPS Map Camera



East Godavari, AP, India

Rajanagaram, East Godavari, 533294, AP, India

Lat 17.068174, Long 81.884971

05/15/2024 11:42 AM GMT+05:30

Note : Captured by GPS Map Camera



DEVELOPMENTAL DISTURBANCES OF TOOTH

BY DR. SUDARSHAN
PROFESSOR
DEPT. OF ORAL PATHOLOGY



Physiological Anatomy Of Kidneys

Click to add text